

---

# **mysolr Documentation**

*Release 0.8.2*

**Rubén Abad, Miguel Olivares**

June 05, 2014



<b>1 Basic Usage</b>	<b>3</b>
<b>2 Contents</b>	<b>5</b>
2.1 Installation . . . . .	5
2.2 User Guide . . . . .	5
2.3 Recipes . . . . .	9
2.4 Classes . . . . .	10
2.5 Benchmark . . . . .	12
<b>3 References</b>	<b>15</b>
<b>4 Projects that are using mysolr</b>	<b>17</b>
<b>5 Related projects</b>	<b>19</b>
<b>Python Module Index</b>	<b>21</b>



mysolr was born to be a fast and easy-to-use client for Apache Solr's API and because existing Python clients didn't fulfill these conditions.

Since version 0.5 mysolr supports Python 3 except concurrent search feature.



---

## Basic Usage

---

```
from mysolr import Solr

# Default connection to localhost:8080
solr = Solr()

# All solr params are supported!
query = {'q' : '*:*', 'facet' : 'true', 'facet.field' : 'foo'}
response = solr.search(**query)

# do stuff with documents
for document in response.documents:
    # modify field 'foo'
    document['foo'] = 'bar'

# update index with modified documents
solr.update(response.documents, commit=True)
```





## 2.1 Installation

To install mysolr from Pypi:

```
pip install mysolr
```

From source code:

```
python setup.py install
```

### 2.1.1 Dependencies

#### requests

Mysolr uses `requests` module for sending HTTP requests. So, if you install mysolr from source code you have to install it.

#### anyjson

New in version 0.8.1.

Since using `eval` could be dangerous. We decided to use `anyjson` which tries to use the fastest json library in your environment, using `simplejson` by default.

### 2.1.2 Concurrent search

Concurrent search feature is only available for python 2.X because it depends on `Gevent` and `grequests`. So if you want to use this feature, you have to install it as an extra.

```
pip install "mysolr[async]"
```

## 2.2 User Guide

### 2.2.1 Connecting to Solr

Use `mysolr.Solr` object to connect to a Solr instance.

```
from mysolr import Solr

# Default connection. Connecting to http://localhost:8080/solr/
solr = Solr()

# Custom connection
solr = Solr('http://foo.bar:9090/solr/')
```

New in version 0.9.

You can reuse HTTP connection by using `requests.Session` object

```
from mysolr import Solr
import requests

session = requests.Session()
solr = Solr('http://localhost:8983/solr/collection1', make_request=session)
```

New in version 0.9.

Using a `requests.Session` object allows you to connect to servers secured with HTTP basic authentication as follows:

```
from mysolr import Solr
import requests

session = requests.Session()
session.auth = ('admin', 'admin')
solr = Solr('http://localhost:8983/solr/collection1', make_request=session)
```

New in version 0.8.

Solr 4.0 changed a bit the api so, Solr object will guess the solr server version by making a request. You can manually set the solr version with the parameter `version`

```
from mysolr import Solr

# Default connection. Connecting to a solr 4.X server
solr = Solr(version=4)
```

## 2.2.2 Querying to Solr

Making a query to Solr is very easy, just call `search` method with your query.

```
from mysolr import Solr

solr = Solr()
# Search for all documents
response = solr.search(q='*:*')
# Get documents
documents = response.documents
```

Besides, all available Solr query params are supported. So making a query using pagination would be as simple as

```
from mysolr import Solr

solr = Solr()

# Get 10 documents
response = solr.search(q='*:*', rows=10, start=0)
```

Some parameters contain a period. In those cases you have to use a dictionary to build the query:

```
from mysolr import Solr

solr = Solr()

query = {'q' : '*:*', 'facet' : 'true', 'facet.field' : 'foo'}
response = solr.search(**query)
```

Sometimes specifying a HTTP parameter multiple times is needed. For instance when faceting by several fields. Use a list in that case.:

```
from mysolr import Solr

solr = Solr()

query = {'q' : '*:*', 'facet' : 'true', 'facet.field' : ['foo', 'bar']}
response = solr.search(**query)
```

### 2.2.3 Cursors

The typical concept of cursor in relational databases is also implemented in mysolr.

```
from mysolr import Solr

solr = Solr()

cursor = solr.search_cursor(q='*:*')

# Get all the documents
for response in cursor.fetch(100):
    # Do stuff with the current 100 documents
    pass
```

### 2.2.4 Facets

This is a query example using facets with mysolr.

```
from mysolr import Solr

solr = Solr()
# Search for all documents facets by field foo
query = {'q' : '*:*', 'facet' : 'true', 'facet.field' : 'foo'}
response = solr.search(**query)
# Get documents
documents = response.documents
# Get facets
facets = response.facets
```

Facets are parsed and can be accessed by retrieving `facets` attribute from the `SolrResponse` object. Facets look like this:

```
{
  'facet_dates': {},
  'facet_fields': {'foo': OrderedDict([('value1', 2), ('value2', 2)]},
  'facet_queries': {},
```

```
    'facet_ranges': {}  
}
```

Ordered dicts are used to store the facets because order matters.

In any case, if you don't like how facets are parsed you can use `raw_content` attribute which contains the raw response from solr.

## 2.2.5 Spellchecker

This is an example of a query that uses the spellcheck component.

```
from mysolr import Solr  
  
solr = Solr()  
  
# Spell check query  
query = {  
    'q' : 'helo wold',  
    'spellcheck' : 'true',  
    'spellcheck.collate': 'true',  
    'spellcheck.build': 'true'  
}  
  
response = solr.search(**query)
```

Spellchecker results are parsed and can be accessed by getting the `spellcheck` attribute from the `SolrResponse` object.:

```
{'collation': 'Hello world',  
'correctlySpelled': False,  
'suggestions': {  
    'helo': {'endOffset': 4,  
            'numFound': 1,  
            'origFreq': 0,  
            'startOffset': 0,  
            'suggestion': [{'freq': 14,  
                           'word': 'hello'}]},  
    'wold': {'endOffset': 9,  
            'numFound': 1,  
            'origFreq': 0,  
            'startOffset': 5,  
            'suggestion': [{'freq': 14, 'word': 'world'}]}}
```

## 2.2.6 Stats

`stats` attribute is just a shortcut to stats result. It is not parsed and has the format sent by Solr.

## 2.2.7 Highlighting

Like stats, `highlighting` is just a shortcut.

## 2.2.8 Concurrent searches

As mysolr is using requests, it is possible to make concurrent queries thanks to grequest

```
from mysolr import Solr
solr = Solr()
# queries
queries = [
    {
        'q' : '*:*'
    },
    {
        'q' : 'foo:bar'
    }
]

# using 10 threads
responses = solr.async_search(queries, size=10)
```

See [installation](#) section for further information about how to install this feature.

## 2.2.9 Indexing documents

```
from mysolr import Solr

solr = Solr()

# Create documents
documents = [
    {'id' : 1,
     'field1' : 'foo'
    },
    {'id' : 2,
     'field2' : 'bar'
    }
]

# Index using json is faster!
solr.update(documents, 'json', commit=False)

# Manual commit
solr.commit()
```

## 2.3 Recipes

### 2.3.1 Solr backup

How to copy all documents from one solr server to another.

```
from mysolr import Solr

PACKET_SIZE = 5000

solr_source = Solr('http://server1:8080/solr/')
solr_target = Solr('http://server2:8080/solr/')
```

```
cursor = solr_source.search_cursor(q='*:*')

for resp in cursor.fetch(PACKET_SIZE):
    source_docs = resp.documents
    solr_target.update(source_docs)
```

## 2.4 Classes

### 2.4.1 Solr class

```
class mysolr.Solr(base_url='http://localhost:8080/solr', make_request=<module 'requests' from
    '/home/docs/checkouts/readthedocs.org/user_builds/mysolr/envs/master/local/lib/python2.7/site-
    packages/requests/__init__.pyc'>, use_get=False, version=None)
```

Acts as an easy-to-use interface to Solr.

**async\_search** (*queries, size=10, resource='select'*)  
Asynchronous search using async module from requests.

#### Parameters

- **queries** – List of queries. Each query is a dictionary containing any of the available Solr query parameters described in <http://wiki.apache.org/solr/CommonQueryParameters>. 'q' is a mandatory parameter.
- **size** – Size of threadpool
- **resource** – Request dispatcher. 'select' by default.

**commit** (*wait\_flush=True, wait\_searcher=True, expunge\_deletes=False*)  
Sends a commit message to Solr.

#### Parameters

- **wait\_flush** – Block until index changes are flushed to disk (default is True).
- **wait\_searcher** – Block until a new searcher is opened and registered as the main query searcher, making the changes visible (default is True).
- **expunge\_deletes** – Merge segments with deletes away (default is False)

**delete\_by\_key** (*identifier, commit=True*)  
Sends an ID delete message to Solr.

**Parameters commit** – If True, sends a commit message after the operation is executed.

**delete\_by\_query** (*query, commit=True*)  
Sends a query delete message to Solr.

**Parameters commit** – If True, sends a commit message after the operation is executed.

**get\_system\_info** ()  
Gets solr system status.

**is\_up** ()  
Check if a Solr server is up using ping call

**more\_like\_this** (*resource='mlt', text=None, \*\*kwargs*)  
Implements convenient access to Solr MoreLikeThis functionality

Please, visit <http://wiki.apache.org/solr/MoreLikeThis> to learn more about MLT configuration and common parameters.

There are two ways of using MLT in Solr:

**Using a previously configured RequestHandler** You normally specify a query and the first matching document for that query is used to retrieve similar documents. You can however specify a text instead of a query, and similar documents to the text will be returned. You must configure a MLT RequestHandler in your solrconfig.xml in order to get advantage of this functionality. Note that this method has a default resource name with value “mlt”, but if your RequestHandler has a different name you must specify it when calling the `more_like_this` method.

**Using the MLT Search Component:** The resulting documents in this case will be those that match the regular query, but the SolrResponse will have a “mlt” section where similar documents for each result document will be given.

#### Parameters

- **resource** – Request dispatcher. ‘ml’ by default.
- **text** – Text to use for similar documents retrieval. None by default.
- **\*\*kwargs** – Dictionary containing any of the available Solr query parameters described in <http://wiki.apache.org/solr/CommonQueryParameters> or MoreLikeThis Common parameters described in <http://wiki.apache.org/solr/MoreLikeThis>. ‘q’ is a mandatory parameter in all cases except when using a MLT RequestHandler with a Text parameter.

**optimize** (*wait\_flush=True, wait\_searcher=True, max\_segments=1*)

Sends an optimize message to Solr.

#### Parameters

- **wait\_flush** – Block until index changes are flushed to disk (default is True)
- **wait\_searcher** – Block until a new searcher is opened and registered as the main query searcher, making the changes visible (default is True)
- **max\_segments** – Optimizes down to at most this number of segments (default is 1)

**ping** ()

Ping call to solr server.

**rollback** ()

Sends a rollback message to Solr server.

**search** (*resource='select', \*\*kwargs*)

Queries Solr with the given kwargs and returns a SolrResponse object.

#### Parameters

- **resource** – Request dispatcher. ‘select’ by default.
- **\*\*kwargs** – Dictionary containing any of the available Solr query parameters described in <http://wiki.apache.org/solr/CommonQueryParameters>. ‘q’ is a mandatory parameter.

**search\_cursor** (*resource='select', \*\*kwargs*)

**update** (*documents, input\_type='json', commit=True*)

Sends an update/add message to add the array of hashes(documents) to Solr.

#### Parameters

- **documents** – A list of solr-compatible documents to index. You should use unicode strings for text/string fields.

- **input\_type** – The format which documents are sent. Remember that json is not supported until version 3.
- **commit** – If True, sends a commit message after the operation is executed.

## 2.4.2 SolrResponse class

**class** `mysolr.SolrResponse` (*http\_response=None*)

Parse solr response and make it accessible.

**extract\_errmessage** ()

Tries to extract an error message from a SolrResponse body content.

Useful for error identification (e.g.: indexation errors)

**parse\_content** ()

Tries to parse the raw content to know if its a structured results response or an unstructured HTML page (usually resulting from an error)

**parse\_facets** (*solr\_facets*)

Parse facets.

**parse\_spellcheck** (*solr\_suggestions*)

Parse spellcheck result into a more readable format.

## 2.4.3 Cursor class

**class** `mysolr.Cursor` (*url*, *query*, *make\_request=<module 'requests' from 'home/docs/checkouts/readthedocs.org/user\_builds/mysolr/envs/master/local/lib/python2.7/site-packages/requests/\_\_init\_\_.pyc'>*, *use\_get=False*)

Implements the concept of cursor in relational databases

**fetch** (*rows=None*)

Generator method that grabs all the documents in bulk sets of 'rows' documents

**Parameters** **rows** – number of rows for each request


## 2.5 Benchmark

One of the main goals of mysolr is to be the fastest python client of Solr. In this section you can see the performance of mysolr in different situations.

### 2.5.1 Indexing

The picture below is a comparison between mysolr and other clients at indexing time.







---

## References

---

We would like to thank the following developers their work and inspiration:

- The Apache Solr 's committers
- Kenneth Reitz, [Requests](#) creator



---

## Projects that are using mysolr

---

- `solr_cli` : Command line console for Apache Solr.



---

## Related projects

---

Other Python projects Apache Solr related:

- [solrpy](#)
- [pysolr](#)
- [djangosolr](#)





**m**

`mysolr`, 10